

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
|       |      | transmit\$4 with external adj device and "358"/\$.ccls."  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR               | ON      | 2004/08/31 15:59 |
|       |      | (transmission transmitting transmit) same image adj data with (external pc personal adj computer printer scanner) and relative adj position and and predetermined adj position and "358"/\$.ccls. | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/31 11:55 |
| S1    | 328  | sequential\$2 adj transmit\$4 same (external printer scanner)   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/30 15:19 |
| S2    | 35   | sequential\$2 adj transmit\$4 same (external printer scanner) and (position distance) with image with read\$4   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/30 15:49 |
| S3    | 1    | sequential\$2 adj transmit\$4 same (personal adj computer) and (position distance) with image with read\$4  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/30 16:10 |
| S4    | 1    | (read\$3 scan\$4) adj unit same belt same driv\$4 same operation adj unit   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/30 16:10 |
| S5    | 10   | (read\$3 scan\$4) adj unit same (transmi\$4 belt) same driv\$4 same operation adj unit  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/30 16:18 |
| S6    | 89   | displac\$3 with position same image same image adj read\$3  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/30 16:19 |
| S7    | 2557 | displac\$3 with position same image same between  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/30 16:19 |
| S8    | 1119 | displac\$3 with position same image with between  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/30 16:19 |
| S9    | 18   | (displac\$3 with position) same image same (scan\$3 read\$3) adj unit   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/30 16:23 |
| S10   | 28   | (relative adj position) same image same (scan\$3 read\$3) adj unit  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/30 16:25 |
| S11   | 2    | (relative adj position) same image same (scan\$3 read\$3) adj unit and transmit\$3 with (external pc personal adj computer printer scanner)   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/31 09:54 |
| S12   | 62   | home adj position same predetermined adj position and "358"/\$.ccls.  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB           | OR               | ON      | 2004/08/31 10:19 |

|     |       |  |   |    |    |                  |
|-----|-------|--|---|----|----|------------------|
| S13 | 9     | home adj position same predetermined adj position and relative adj position and "358"/\$.ccls.                                       | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 10:15 |
| S14 | 0     | home adj position same predetermined adj position and relative adj position and kageyama.in.   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 10:15 |
| S15 | 2     | home adj position same predetermined adj position and relative adj position and sugiyama.in.   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 10:16 |
| S16 | 0     | kazuhide-sugiyama.in.  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 10:16 |
| S17 | 0     | tomoaki-kageyama.in.   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 10:16 |
| S18 | 1     | home adj position same predetermined adj position and relative and restart and "358"/\$.ccls.  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 10:36 |
| S19 | 26    | home adj position same predetermined adj position and relative and restart   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 10:46 |
| S20 | 31    | home adj position same predetermined adj position and relative with \$2start\$3  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 10:47 |
| S21 | 13    | home adj position same predetermined adj position and relative with \$2start\$3 and film   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 11:48 |
| S22 | 16    | home adj position same predetermined adj position and relative with \$2start   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 11:49 |
| S23 | 115   | home adj position same predetermined adj position and relative adj position  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 11:49 |
| S24 | 9     | home adj position same predetermined adj position and relative adj position and "358"/\$.ccls.                                       | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 11:50 |
| S25 | 1     | home adj position same predetermined adj position and relative adj position same (restart initial beginning home) and "358"/\$.ccls. | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 11:52 |
| S26 | 16736 | (transmission transmitting transmit) same image with (external pc personal adj computer printer scanner)                             | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 11:54 |

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| S27 | 3206 | (transmission transmitting transmit) same image with (external pc personal adj computer printer scanner) and "358"/\$.ccls.   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB                        | OR | ON | 2004/08/31 11:54 |
| S28 | 1497 | (transmission transmitting transmit) same image adj data with (external pc personal adj computer printer scanner) and "358"/\$.ccls.  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB                        | OR | ON | 2004/08/31 11:54 |
| S29 | 47   | (transmission transmitting transmit) same image adj data with (external pc personal adj computer printer scanner) and relative adj position and "358"/\$.ccls.                                | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB                        | OR | ON | 2004/08/31 11:55 |
| S30 | 4    | (transmission transmitting transmit) same image adj data with (external pc personal adj computer printer scanner) and relative adj position and predetermined adj position and "358"/\$.ccls. | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB                        | OR | ON | 2004/08/31 12:08 |
| S31 | 16   | microfilm adj reader with (personal adj computer CPU PC)  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB                        | OR | ON | 2004/08/31 12:10 |
| S32 | 25   | microfilm adj (scanner reader) with (personal adj computer CPU PC)  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB                        | OR | ON | 2004/08/31 12:18 |
| S33 | 2    | "6661540".pn.   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB                        | OR | ON | 2004/08/31 12:19 |
| S34 | 2    | "5755500".pn.   | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB                        | OR | ON | 2004/08/31 12:20 |
| S35 | 1    | restarting adj reading with predetermined adj position  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB                        | OR | ON | 2004/08/31 12:24 |
| S36 | 2    | restart\$3 adj reading with predetermined adj position  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB                        | OR | ON | 2004/08/31 12:25 |
| S37 | 2    | restart\$3 adj reading same predetermined adj position  | USPAT;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB                        | OR | ON | 2004/08/31 12:25 |
| S38 | 16   | microfilm and predetermined adj (distance position) and relative adj (distance position) and (external adj device personal adj computer pc cpu)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 12:34 |
| S39 | 732  | transmitting adj image adj data with (external printer PC personal adj computer CPU scanner)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 12:35 |

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| S40 | 424 | transmitting adj image adj data with (external PC personal adj computer CPU)                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 12:35 |
| S41 | 141 | transmitting adj image adj data with (external PC personal adj computer CPU) and "358"/\$.ccls.                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 12:36 |
| S42 | 1   | transmitting adj image adj data with (external PC personal adj computer CPU) and driver with relative adj position | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 12:37 |
| S43 | 1   | 358/471 and driver with relative adj position  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 12:37 |
| S44 | 1   | 358/474 and driver with relative adj position  | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/08/31 12:39 |
| S45 | 0   | 358/487 and driver with relative adj position same image   | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/08/31 12:39 |
| S46 | 1   | 358/406 and driver with relative adj position same image   | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/08/31 12:39 |
| S47 | 0   | 358/461 and driver with relative adj position same image   | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/08/31 12:40 |
| S48 | 0   | 358/497 and driver with relative adj position same image   | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/08/31 12:40 |
| S49 | 0   | 358/471 and driver with relative adj position same image   | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/08/31 12:40 |
| S50 | 105 | driver with relative adj position same image   | USPAT;<br>USOCR;<br>EPO, JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/08/31 12:40 |

|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| S51 | 6    | driver with relative adj position same image and "358"/\$.ccls.                                      | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 12:40 |
| S52 | 4984 | transmit\$4 with external adj device   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 15:59 |
| S53 | 3937 | transmit\$4 with external adj device and "3"   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 15:59 |
| S54 | 237  | transmit\$4 with external adj device and "358"/\$.ccls.  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 16:12 |
| S55 | 85   | transmitting with (image data) with external adj device and "358"/\$.ccls.                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 16:13 |
| S56 | 0    | transmitting with (image data) with external adj device and driver with relative adj position        | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 16:14 |
| S57 | 0    | transmitting with (image data) with external adj device and driver same relative adj position        | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 16:14 |
| S58 | 20   | transmitting with (image data) with external adj device and relative adj position                    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 16:14 |
| S59 | 3    | transmitting with (image data) with external adj device and relative adj position and "358"/\$.ccls. | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 16:16 |
| S60 | 6    | sequentially with transmitting with (image data) with external adj device                            | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 16:17 |
| S61 | 1    | driver with displac\$3 with relative adj position same image   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 16:18 |
| S62 | 8    | driver same displac\$3 same relative adj position same image   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/08/31 16:19 |

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| S63 | 840  | displac\$3 same relative adj position same image  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/08/31 16:19 |
| S64 | 16   | displac\$3 same relative adj position same image and "358"/\$.ccls.                                     | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/08/31 16:20 |
| S65 | 1    | monitoring with external adj device and (MPU controller CPU) with suspends with data                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 13:52 |
| S66 | 1    | monitoring with external adj device and (MPU controller CPU) with suspends with data and "358"/\$.ccls. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 13:53 |
| S67 | 1728 | monitor\$3 with (printer scanner external adj device) and (MPU controller CPU)and "358"/\$.ccls.        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 13:53 |
| S68 | 570  | monitor\$3 with (printer scanner external adj device) same (MPU controller CPU)and "358"/\$.ccls.       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 13:54 |
| S69 | 4    | monitor\$3 with (external adj device) same (MPU controller CPU)and "358"/\$.ccls.                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 13:55 |
| S70 | 1    | monitoring with (external adj device) same (MPU controller CPU)and "358"/\$.ccls.                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 13:55 |
| S71 | 130  | monitoring with (external adj device) same (MPU controller CPU)   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/09/01 13:56 |
| S72 | 4    | monitoring with (external adj device) same receive adj data   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/09/01 13:56 |
| S73 | 320  | detect\$3 with capacity with memory and memory with decreas\$3  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB              | OR | ON | 2004/09/01 15:02 |

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S74 | 28  | detect\$3 with capacity with memory and memory with<br>decreas\$3 and "358"/\$.ccls.                | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 15:03 |
| S75 | 7   | detect\$3 with capacity with memory and memory with<br>decreas\$3 and suspend\$4 and "358"/\$.ccls. | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 16:15 |
| S76 | 4   | data adj discard with image with data and "358"/\$.ccls.  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 16:28 |
| S77 | 159 | data with discard\$3 with image with data and "358"/\$.<br>ccls.                                    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 16:39 |
| S78 | 38  | data adj discard\$3 with image adj data and "358"/\$.ccls.  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 16:42 |
| S79 | 32  | data adj discard\$3 with image adj data and stored with<br>memory and "358"/\$.ccls.                | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 16:45 |
| S80 | 24  | data adj discard\$3 with image adj data and stored with<br>memory and reading and "358"/\$.ccls.    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 16:58 |
| S81 | 51  | data adj discard\$3 with image adj data and stored with<br>memory and reading                       | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 16:58 |
| S82 | 9   | data adj discard\$3 with image adj data and stored with<br>memory and reading adj operation         | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 17:12 |
| S83 | 0   | data adj discard\$3 with stored with memory and reading<br>adj operation with suspen\$4             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 17:12 |
| S84 | 0   | data adj discard\$3 with stored with memory and reading<br>with suspen\$4                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 17:13 |
| S85 | 0   | data adj discard\$3 with stored with memory and reading<br>same suspen\$4                           | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/01 17:14 |



|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| S86 | 5  | data adj discard\$3 with stored with memory and reading and suspen\$4         | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 12:31 |
| S87 | 51 | data adj discard\$3 with stored with memory                                   | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 13:01 |
| S88 | 51 | (data adj discard\$3) with (stored with memory)                               | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 12:38 |
| S89 | 3  | (data adj discard\$3) with (stored with memory) and "358"/\$ ccls.            | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 12:44 |
| S90 | 5  | (data adj discard\$3) with (stored with memory) and reading adj operation     | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 12:45 |
| S91 | 0  | (data adj discard\$3) with (stored with memory) same (reading adj operation)  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 12:45 |
| S92 | 1  | (data adj discard\$3) same (stored with memory) same (reading adj operation)  | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 12:57 |
| S93 | 1  | (data adj2 discard\$3) same (stored with memory) same (reading adj operation) | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 12:58 |
| S94 | 2  | (data with discard\$3) same (stored with memory) same (reading adj operation) | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 12:59 |
| S95 | 2  | (data with discard\$3) same (stored with memory) same (reading adj operation) | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 12:59 |
| S96 | 2  | notification with external with suspen\$4                                     | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 13:58 |
| S97 | 4  | notification with external with restart\$3                                    | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 14:07 |



|      |    |  |   |    |    |                  |
|------|----|--|---|----|----|------------------|
| S98  | 2  | notif\$2 with external with restart\$3                                 | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 14:09 |
| S99  | 12 | notification same external same restart\$3                             | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 14:43 |
| S100 | 5  | (notification notify notifying) with restart\$3 and "358"/\$.<br>ccls. | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 15:27 |
| S101 | 1  | predetermined adj medium with microfilm                                | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT<br>; IBM_TDB | OR | ON | 2004/09/02 15:28 |